

ZACHAR, J.

ZACHAROVA, D. ZACHAR, J.

Effect of potassium ions on electrical activity of irritation and inhibition fibers. Cesk. fysiол. 6 no.4:472-478 Nov 57.

1. Fysiologicky ustav CSAB, Praha, Laboratorium neurofysiologie SAV, Bratislava.

(NERVES, physiology,

electrical activity of inhib. & irritation fibers, eff. of potassium (Cs))

(POTASSIUM, effects,

on electrical activity of inhib. & irritation nerve fibers (Cs))

ZACHAR, J.; ZACHAROVA, D.

Mechanical energy as causative agent of spreading depression. Cesk. fysiол.  
7 no.3:189-190 May 58.

1. Oddelenie neurofyziologie Ustavu experimentalnej mediciny SAV v  
Bratislave.

(CEREBRAL CORTEX, physiол.

spreading depression, mechanical causes (Cz))

ZACHAROVA, D.; ZACHAR, J.

Mechanism of appearance of spreading depression. Cesk. fyziol. 7 no.3:  
190-191 May 58.

1. Oddelenie neurofyziolgie Ustavu experimentalnej mediciny SAV v  
Bratislave.

(CEREBRAL CORTEX, physiol.

spreading depression, mechanism (Ca))

ZACHAR, J.; RUSCAK, M.

Cerebral metabolism in spreading depression. *Cesk. fysiол.* 7 no.3:191-192 May 58.

1. Oddelenie neurofysiologie Ustavu experimentalnej mediciny SAV v Bratislave.

(CEREBRAL CORTEX, physiol.

spreading depression, brain metab. (Cz))

(BRAIN, metab.

in cortical spreading depression (Cz))

DUDA, P.; RUSCAK, M.; ZACHAR, J.

Cerebral metabolism in depolarization induced by asphyxia following spreading depression. Cesk. fysiол. 7 no.5:446-447 Sept 58.

1. Ustav experimentalnej mediciny SAV, Bratislava.

(BRAIN, metabolism,

eff. of depolarization induced by asphyxia after spreading decortical depression (Cz))

(ASPHYXIA, exper.

eff. of depolarization induced by asphyxia after spreading cortical depression on cerebral metab. (Cz))

(CEREBRAL CORTEX, physiол.

spreading depression with consecutive asphyxia & depolarization, eff. on cerebral metab. (Cz))

DUDA, P.; ZACHAR, J.; RUSCAK, M.

Course of terminal anoxic depolarization following spreading EEG depression.  
Cesk. fysiол. 7 no.5:448-449 Sept 58.

1. Ustav experimentalnej mediciny SAV, Bratislava.

(CEREBRAL CORTEX, physiол.

spreading depression with terminal anoxic depolarization (Cz))

(ANOXIA, exper.

terminal anoxic depolarization after spreading cortical EEG  
depression (Cz))

ZACHAR, Jozef; ZACHAROVA, Daria

Mechanism of the origin of spreading cortical depression. *lek.*  
prac. (Biol. lek.) 3 no.2:3-110 '63

1. Ustav experimentalnej mediciny SAV.

\*

ZACHAR, J.; HENCEK, M.

Intracellular water and density of single muscle fibres in the crayfish. *Physiol. Bohemoslov.* 14 no.1:1-11 '65

1. Institute of Experimental Medicine of the Slovak Academy of Sciences, Czechoslovak Academy of Sciences, Bratislava.



CZECHOSLOVAKIA

HENCEK, M.; ZACHAR, J.; Department of Normal and Pathological Physiology, Slovak Academy of Sciences (Ustav normalnej a patologickej fyziologie SAV), Bratislava.

"Electrical Activity of the Isolated Muscle Fiber of Sweet Water Crab."

Prague, Ceskoslovenska Fysiologie, Vol 14, No 5, Oct 1965, p 348.

Abstract: Study of resistance capacitance and speed of transmission in 24 fibers with oscillographic recordings. These parameters were found closely related to the radius of the fiber. Graph, 2 Western references. Paper presented at the 15th Physiology Days, Olomouc, 28 May 65.

Biophysics

CZECHOSLOVAKIA

ZACHAR, Jozef; [Affiliation not given].

"Symposium on Biophysics of Membranes"

Prague, Vestnik Československé Akademie Ved, Vol 75, No 5, 1966,  
pp 755 - 756

Abstract: The symposium was held at Smolenice on 29 Aug to 3 Sep 66. The conference was organized by the Institute of Normal and Pathological Physiology of the Slovak Academy of Sciences at Bratislava; there were 42 delegates from 16 countries, some of them Western. Passive permeability of natural and synthetic membranes for ions, bonds of Na and K atoms in erythrocytes and in excitable membranes, ion transport through epithelia tissues, mechanisms of permeability and metabolism; influence of aldosterone and other drugs on permeability, active transport of non-electrolytes and interaction with sodium; genetic aspects of permeability mechanisms are discussed. Some of the papers presented will be published, others will not. No references.

1/1

HENOEK, M.; ZACHAR, J.

The electrical constants of single muscle fibres of the crayfish  
(*Astacus fluviatilis*). *Physiol. Bohemoslov.* 14 no.4:297-311 '65.

1. Institute of Normal and Pathological Physiology, Slovak Academy of Sciences, Bratislava. Submitted October 29, 1964.

ZACHAR, J.; SAJTER, V.

The sodium and potassium content of single muscle fibres of the crayfish, *Physiol. Bohemoslov.* 14 no.2:113-125 '65.

1. Institute of Experimental Medicine, Slovak Academy of Sciences, Bratislava, and Institute of Biochemistry, Faculty of Medicine, Comenius University, Bratislava.

ZACHAR, J.; ZACHAROVA, D.; HENCEK, M.

Membrane potential of the isolated muscle fibre of the crayfish.  
(*Astacus fluviatilis*). *Physiol. Bohemoslov.* 13 no.2:117-128 '64

The relative potassium and chloride conductances in the muscle  
membrane of the crayfish. *Ibid.*:129-136

1. Institute of Experimental Medicine, Slovak Academy of  
Sciences, Bratislava.

ZACHAR, J.; HENCEK, M.; ZACHAROVA, D.

Membrane conductivity of muscle cells in an osmotically  
changed medium. Bratisl. lek. listy 43 Pt. 2 no.7:398-411  
'63.

1. CSAV - Ustav experimentalnej mediciny SAV v Bratislave,  
riaditel clen koresp. SAV J. Antal, Dr. Sc.  
(ELECTROMYOGRAPHY) (IONS) (SUCROSE)  
(CHOLINE) (SODIUM CHLORIDE) (CALCIUM)  
(MUSCLES)

ZACHAR, J.; ZACHAROVA, D.

Release thresholds of spreading depression in the lysoccephalic brain  
of some phylogenetic species, Bratisl. lek. listy 42 no.10:602-610  
'62.

1. Z oddelenia neurofyziolgie Ustavu experimentalnej mediciny Slovensky  
akademie vied v Bratislave, veduci clen koresp. Slovensky akademie vied  
J. Antal, Dr.Sc.

(CEREBRAL CORTEX physiol)

BURESH, Ya.[Bures, Jan]; PETRAN', M.[Petran, Mojmir]; ZAKHAR, I.  
Zachar, Jozef]; KEDER-STEPANOVA, I.A.[translator]; SMIRNOV, G.D.,  
red.; RAYSKAYA, N.A., red.; YANOVSKAYA, Ye.A., red.; REZOUKHOVA,  
A.G., tekhn. red.

[Electrophysiological methods of research]Elektrofiziologicheskie  
metody issledovaniia. Pod red. i s predisl. G.D.Smirnova. Mo-  
skva, Izd-vo inostr. lit-ry, 1962. 454 p. Translated from the  
Czech. (MIRA 15:12)

(Electrophysiology)



DUDA, P.; RUSCAK, M.; ZACHAR, J.

Spreading cortical depression and the polarization gradient of  
the cerebral cortex. *Physiol Bohemoslov* 10 no.5:438-447 '61.

1. Institute of Experimental Medicine, Slovak Academy of Sciences,  
Bratislava.

(CEREBRAL CORTEX physiol) (ANOXIA exper)

ZACHAR, J.; HENCEK, M.

A method of multilead d.c. registration on the one-beam oscilloscope by the chopping technique. *Physiol Bohemoslov* 10 no.5:474-479 '61.

1. Institute of Experimental Medicine, Slovak Academy of Sciences, Bratislava.

(OSCILLOMETRY)

- 272

ZACHAR, J.; HENCEK, M.

On the problem of the dissociation of the muscle active potential in contractions. Cesk.fysiol. 9 no.3;277-278 Ky '60.

1. Ustav experimentalnej mediciny SAV, Bratislava.  
(MUSCLES physiol)

ZACHAROVA, D.; ZACHAR, J.

On the problem of the spreading action potential in the muscle fiber in crayfish. Cesk.fysiol. 9 no.3:278 My '60.

1. Ustav experimentalnej mediciny SAV, Bratislava.  
(MUSCLES physiol)

ZACHAR, Josef

21st International Physiological Congress in Buenos Aires, August  
9-15, 1959. Biologia 15 no.2:74-78 '60. (EEAI 9:5)

(INTERNATIONAL PHYSIOLOGICAL CONGRESS 21ST, BUENOS AIRES, 1959)  
(PHYSIOLOGY)

CZECHOSLOVAKIA/Human and Animal Physiology - Nerve and Muscles  
Physiology.

T

Abs Jour : Ref Zhur Biol., No 3, 1959, 13135

Author : Zacharov, D., Zachar, J.

List : -

Title : Influence of Potassium Ions on Electrical Activity of  
Excitor and Inhibitor Fibers.

Orig Pub : Physiol. bohemosl., 1957, 6, No 4, 462-470

Abstract : No abstract.

Card 1/1

CZECHOSLOVAKIA/Human and Animal Physiology - Nerve and Muscle  
Physiology.

T

Abs Jour : Ref Zhur Biol., No 3, 1959, 13134

At the site of the action of the solutions with an increased concentration of K there was noted a lowering of the amplitude and an ascending phase of the potential of the effect for both inhibitor and excitor axons. Very similar changes were observed in the rate of conductivity after intoxication with 2,4-dinitrophenol.

Card 2/2

- 89 -



ZACHAR, J.

SCIENCE

Periodicals: CESKOSLOVENSKA FYSIOLOGIE Vol. 4, no. 4, 1955

ZACHAR, J. Notes on the problem of changes in electricral signals of impulses in electronus. p. 445

Monthly List of East European Accessions (EEAI) LIC, Vol. 8, No. 5,  
May 1959, Unclass.

ZACHAR, Laszlo

"Aluminum building structures" by Buray, Bolcskey, Csellan, Domony.  
Reviewed by Laszlo Zachar. Koh lap 96 no.3:142 Mr '63.

LOMNICZY, Dezső; ZACHAR, László

Development of the Szekesfehervar High Metal Works. Koh lap 93 no.71  
298-301 J1 '60.

ZACHAR, L., Kocsis, J.

Determination of the speed of deformation at extrusion and drawing. p. 71  
(KOHASZATI LAPOK. Vol. 12, no. 1/2, Jan/Feb. 1957. Budapest, Hungary)

SO: Monthly List of East European Accessions (BEAL) LC. Vol. 6, no. 12, Dec. 1957.  
Uncl.

ZACHAR, L.

Survey of the processing technology of aluminum chips and the equipment needed for it. p.467

KOHASZATI LAPOK. (Magyar Banyaszati es Kohaszati Egyesulet)  
Budapest, Hungary  
Vol. 13, no.10/11, Oct./Nov. 1958

Monthly List of East European Accessions (EEAI) IC., Vol. 8, no.7, July 1959  
Uncl.

CATAR, G.; KVASZ, L.; ZACHAR, M.

Positive complement fixation reaction for toxoplasmosis in patients in an obstetrical-gynecological department. Bratisl. lek. listy 44 no.8:478-484 '64.

1. Vyskumne laboratorium parazitologie pri Katedre lekarskej biologie Lek. fak. Univerzity Komenskeho v Bratislave (veduci prof. MUDr. V. Vrsansky).

CZECHOSLOVAKIA

CATAR, G., Doc. MUDr, CSc.; ZACHAR, M.; VALENT, M.; VRABIC, J.; HYNIL-HOLKOVA, R.;  
PAVLINA, M.

Parasitological Research Laboratory, Dept. of Biology, Faculty of  
Medicine, Comenius Univ. (Vyskumne laboratorium parazitologie pri  
Katedre biologie Lek. fak. University Komenskeho), Bratislava (for all)

Bratislava, Bratislavské lekárske listy, No 4, 28 Feb 67, pp 226-34

"Infestation of small mammals with tissue protozoa."

(6)

HUDCOVIC, A., doc.: ZACHAR, V.

Biology of the artificial vagina. Cesk. gynek. 26 no.9:676-679 H '61.

1. Z II gyn. por. klin. UK v Bratislave, prednosta doc. MUDr. Aurel Hudcovic, a z gyn. odd. MUNZ v Bratislave, prednosta MUDr. Vojtech Kliment.

(VAGINA surg)



ZACHAR, Vilmos

Economy in the use of materials is an important means for reducing  
prime costs. Ujit lap 12 no.7:25 10 Ap '60.

1. Koho- es Gepipari Minisaterium Iparpolitikai Focastalya.

ZACHAR, Vilmos

Gyroscopic voltage indicator. Ujit lap 12 no.2:27 25 Ja '60.

1. Koho- es Gepipari Miniszterium Iparpolitikai Fozosztalya.

ZACHAR, Vilmos

Tilting and moving device, a substitute for hard physical work. Ufit  
lap 12 no.2:23 25 Ja '60.

1. Koho- es Gepipari Minisgterium Iparpolitikai Fozszalya.

ZACHAR, Vilmos

Protection of accumulator generators against polarization. Ujit lap  
12 no.2:27 25 Ja '60.

1. Koho- es Gepipari Miniszterium Iparpolitikai Fozszalya...

ZACHAR, V.

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: /not given/

Department of Obstetrics and Gynecology (Gynekologicko-  
Affiliation: porodnicke oddeleni) City Institute of Public Health  
(MUNIZ: Místní ústav národního zdraví) Bratislava

Source: Bratislava, Lekarsky Obzor, Vol X, No 9, 1931, pp 552-559 .

Data: "Experiences with Newer Methods of Diagnosis of Pregnancy"

✓ KLIMENT, V. ; Head (prednosta) of Department above; MD  
✓ ZACHAR, V.  
✓ VALENT, M.  
✓ DEDINSKY, J.

HUBACEK, K., inz.; ZACHAR, Z., inz.

Television transmitter and a restaurant on Jested Mountain.  
Poz. stavby 13 no.1:38-40 '65.

1. Regional Project Institute, Usti nad Labem, Branch Liberec.

ZACHARA, A.

Aircraft gas generating sets in power engineering. Ciapl  
masz przepływ no. 45; 58-61 '63.

ZACHARA, Andrzej, mgr inż.

Analysis of profile losses in blade rows of axial blowers.  
Ciepl masz przepływ no.49:27-58 '64.



BIBIAWSKI, Janusz; ZACHARA, Agata

Research on the treatment of infected wounds with local application of antibiotics. Polski tygod. lek. 13 no.49:1967-1971 8 Dec 58.

1. (Z III Kliniki Chirurgicznej A. M. we Wroclawiu; kierownik: doc. dr med. Zdzislaw Jezioro i z Wojewodzkiej Stacji Sanitarno-Epidemiologicznej we Wroclawiu; dyrektor: lek. med. S. Przylecki). Adres: Wroclaw, ul. Curie-Sklodowskiej 75.

(WOUNDS AND INJURIES, compl.

infect., ther., local chloramphenicol-chlortetracycline-oxytetracycline suspension. (Pol))

(CHLORAMPHENICOL, ther. use

chloramphenicol-chlortetracycline-oxytetracycline suspension in infected wds., local admin. (Pol))

(OXYTETRACYCLINE, ther. use

oxytetracycline-chloramphenicol-chlortetracycline suspension in infected wds., local admin. (Pol))

ZACHARA, Anna

A large emphysematous cyst of the upper left lobe. Gruźlica 29 no.9:  
825-827 S '61.

1. Z Kliniki Ftyzjatrycznej Studium Doskonalenia Lekarzy AM w Szpitalu  
im. dr A. Sokolowskiego Kierownik: prof. dr med. M. Zieliński.

(PULMONARY EMPHYSEMA case reports)

BEK, Eugenia; WANAT-KONDRATOWICZ, Wladyslawa; STACHLEWSKA, Stanislaw;  
ZACHARA, Anna

Evaluation of the results of chemotherapy in the outpatient  
Clinic for treatment of newly discovered cases of pulmonary  
tuberculosis in 1959-1962. Gruzlica 32 no.11:981-988 N '64

The effect of correct classical chemotherapy on the healing of  
tuberculous cavities. Ibid.:989-999

1. Z Katedry i Kliniki Ftizjatrii Studium Doskonalenia Lekarzy  
Akademii Medycznej w Szpitalu im. dr. A Sokolowskiego w Lodzi  
(Kierownik: prof. dr. med. M. Zierski).

ZIERSKI, Marian, prof. dr. med.; ZACHARA, Anna

Chemotherapy in patients with pulmonary tuberculosis excreting  
bacilli resistant to antitubercular drugs. Gruzlica 32 no.11:  
1019-1026 N '64

1. Z Katedry i Kliniki Ftizjatrii Studium Doskonalenia Lekarzy  
Akademii Medycznej w Szpitalu im. dr. A. Sokolowskiego w Lodzi  
(Kierownik: prof. dr. med. M. Zierski).

ZIERSKI, Marian; BEK, Eugenia; STACHLEWSKA, Stanisława; WANAT-KONERATOWICZ, Władysława; WOZNIAK, Stefania; ZACHARA, Anna

Evaluation of results of antibacterial therapy of patients with recently diagnosed pulmonary tuberculosis under clinical conditions. Gruzlica 32 no.8:621-625 Ag '64.

1. Z Katedry i Kliniki Ftizjatrii Studii Doksztalcania Lekarzy Akademii Medycznej w Szpitalu im. dr. A. Sokolowskiego w Łodzi (Kierownik: prof. dr. med. M. Zierski).

BEK, Eugenia; ZACHARA, Anna

The effect of chemotherapy on the early bacteriological results  
in patients discharged from the clinic in 1962-1963. Gruzica  
32 no.11:961-965 N '64

1. Z Katedry i Kliniki Ftizjatrii Studium Doskonalenia lekarzy  
Akademii Medycznej w Szpitalu im. dr. A. Sokolowskiego w Lodzi  
(Kierownik: prof. dr. med. M. Zierski).

CZAPLICKI, Jeremi; ZACHARCZYK, Antoni

Changes of intraocular pressure in women during the menstrual cycle. Klin. oczna 29 no.3:281-286 '59.

1. Z Kliniki Okulistycznej Slaskiej A. M. w Zabrsu Kierownik:  
prof. dr med. M. Mądrośzkiewicz.  
(MENSTRUATION physiol)  
(INTRAOCULAR PRESSURE physiol)

ZACHARDA, M. (Bratislava)

Manufacture of cast-iron bathtubs. Koh lap 95 no.8:Suppl.: Ontode  
13 no.8:179-182 Ag '62.

1. Megyetem.



ZACHARDA, Miloslav

The use of semi-permanent moulds. Slovarenství 10 no.4:144-145 Ap '62.

1. Slovenska vysoká škola technická, Bratislava.

L 20660-66  
ACC NR: AP5025355  
SOURCE CODE: RU/0019/65/050/003/0773/0781  
AUTHOR: Zaharescu, A.  
ORG: Institute for Applied Mechanics of the Academy of the R.P.R.,  
Bucharest  
TITLE: Electrical correction circuits for reducing the increase time  
of certain mechanical transducers  
SOURCE: Revue Roumaine des sciences technique. Serie de mecanique  
appliquee, v. 10, no. 3, 1965, 773-781  
TOPIC TAGS: piezoelectric transducer, interference reduction, control  
circuit, time constant, test method, dynamic system, second order equa-  
tion  
ABSTRACT: A method for obtaining an important reduction of the inertia  
of certain mechanical transducers by inserting into the measuring  
channel an electric quadripole with suitable characteristics is de-  
scribed. Certain possibilities of synthesis of the correction circuits  
for transducers representing dynamical systems of the second order are  
discussed. The experimental results proved the efficiency of the  
suggested method. Orig. art. has: 7 figures and 27 formulas. [Based  
on author's abstract] [NT]  
SUB CODE: 09, 20/ SUBM DATE: 16Dec64/ OTH REF: 002  
UDC: 537.71621.317  
Card 1/2

ZACHAREWICZ, A.

ZACHAREWICZ, A.

The celebration of the twelfth anniversary of the Manifesto of the Polish Committee of National Liberation in the State Institute of Hydrology and Meteorology. p. 3

Vol. 9, no. 7, 1956  
GACETA OBSERWATORIA, P.I.H.M.  
SCIENCE  
Warszawa, Poland

So: East European Accession vol 6, no. 3, March 1957



ZACHAREWICZ, M.

More on the motion picture "Industrial Safety in Metallurgic Plants." p. 31.  
(OCHRONA PRACY; BEZPIECZENSTWO I HIGIENA PRACY. Vol. 10, no. 7, July 1956,  
Warszawa, Poland.)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 12, Dec. 1957.  
Uncl.

**ZACHAREWICZ, M.**

Method of mass examination for pulmonary tuberculosis. *Gruslica*,  
Warsz. 20 no. 4:541-550 July-Aug 1952. (GLML 23:3)

1. Of the Institute of Hygiene (Head--Prof. B. Nowakowski, M.D.)  
of Silesia Medical Academy. Study made at the request of the Institute  
of Tuberculosis.

ZACHAREWICZ, M.

Festival of peace and friendship. p. 2. GAZETA OBSERWATORA.  
Warszawa. Vol. 8, no. 7, July 1955.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956.

EXCERPTA MEDICA Sec. 17 Vol. 3/6 Public Health

1668. ZACHAREWICZ M. Zakł. Hig. Pracy Inst. Med. Pracy. Przemysle Węglowym. Zabrze-Rokitnica. "Przyczynek do metodyki badań mikro-klimatu z udziałem promieniowania cieplnego. On the methodology of microclimate investigations with the participation of thermal radiation MED. PRACY 1956, 7/3 (157-174) Tables 7 illus. 2 Investigations of microclimate in steel works in one of the metallurgical foundries. Technical and methodological difficulties caused by the presence of strong sources of thermal radiation in the working rooms are discussed. A detailed method for investigations under these conditions is presented.



ZACHAREWICZ, Marek


The problem of sampling in tuberculosis control. Gruzlica  
30 no.8:725-736 '67.

1. Z Katedry Higieny Ogólnej Sl. AM Kierownik: prof. dr  
B. Nowakowski.  
(TUBERCULOSIS) (HEALTH SURVEYS)  
(COMMUNICABLE DISEASE CONTROL)

ZACHAREWICZ, Marak

Role of some demographic factors in the epidemiology of tuberculosis. Gruzlica 31 no.4:337-342 '63.

1. Z Katedry Higieny Ogolnej Slaskiej AM Kierownik: prof.  
dr B. Nowakowski.  
(TUBERCULOSIS) (EPIDEMIOLOGY) (DEMOGRAPHY)



117 AND 120 DEGREES										PROCESSING AND PROPERTIES INDEX									
<p>10</p> <p>Acid products of oxidation of pinene. K. Sivinski and W. Zacharyson. <i>Recueil Chem.</i> 80, 213-18(1956); cf. <i>C. A.</i> 50, 1870. Sixty-seven % of the acids produced by <math>\text{KMnO}_4</math> oxidation of <i>L</i>-pinene consist of pinic acid, and the remainder of <math>\alpha</math>-pinic acid. <i>M. C. A.</i></p>																			
<p>ASAC:SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																			
<p>100000 WITH ONLY ONE</p>										<p>100000 WITH ONLY ONE</p>									

10

ca

Properties and Properties Index

Report of the long-term use of plasma glycol.  
 E. Sawicki and W. Zechmann. *Reactive Chem.* 14,  
 1270-9 (1984). cf. C. A. 20, 3186. --HBr and plasma  
 glycol in AcOH yield a mix. of products, of which the  
 following have been isolated: a mid. glycol. C<sub>10</sub>H<sub>18</sub>O<sub>4</sub>.  
 m. 193-4°; an unid. glycol. CH<sub>3</sub>CH(OH)C(OH)Me.  
 CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub> m. 179-180° (diacetic, b.  
 147-8°); an unid. alc., CH<sub>3</sub>CH(OH)CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>.  
 HCMe:CH<sub>3</sub> b. 68-9°; lvs 217°; disolved; dipol.  
 B. C. A.

GENERAL INDEX

1. METALLURGICAL LITERATURE CLASSIFICATION

1. METALLURGICAL LITERATURE CLASSIFICATION

The action of selenium oxide on camphene and pinene. Witold Zacharewski. *Rusanski Chem.* 16, 290-300 (in French 293-300) (1906).— $\text{SeO}_2$  oxidizes the Me group of pinene. Myristyl sesquiterpene is also formed. In the case of camphene,  $\text{SeO}_2$  does not oxidize the tertiary group in the  $\alpha$ -position, but the reaction gives camphene selenide. M. Wokichewski

10

Ca

Action of selenium oxide on napthene. ~~W. H. Zeeb~~  
~~1917-18~~ Krasinski (Zeeb, 17, 61) with French 011  
 (1917). By the action of  $\text{SeO}_2$  on napthene there were  
 obtained pinocaryon and pinocaryone. By oxidation with  
 $\text{KMnO}_4$ , 1- and 2-myricetols give d- and l-glycerol, m. 67-  
 68°. From which there was prepd. a d-glycerol, m. 71-  
 72°. There were also prepd. diacetates of glycerols,  
 $\text{C}_{11}\text{H}_{20}\text{O}_4$ , optically active, m. 114-115°, and inactive, m.  
 91.5-92.5°. M. Wojciechowski

ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION

SECRET

1904-1910

1911-1920

1921-1930

1931-1940

1941-1950

1951-1960

1961-1970

1971-1980

1981-1990

1991-2000

2001-2010

2011-2020

2021-2030

2031-2040

2041-2050

2051-2060

2061-2070

2071-2080

2081-2090

2091-2100

2101-2110

2111-2120

2121-2130

2131-2140

2141-2150

2151-2160

2161-2170

2171-2180

2181-2190

2191-2200

2201-2210

2211-2220

2221-2230

2231-2240

2241-2250

2251-2260

2261-2270

2271-2280

2281-2290

2291-2300

2301-2310

2311-2320

2321-2330

2331-2340

2341-2350

2351-2360

2361-2370

2371-2380

2381-2390

2391-2400

2401-2410

2411-2420

2421-2430

2431-2440

2441-2450

2451-2460

2461-2470

2471-2480

2481-2490

2491-2500

2501-2510

2511-2520

2521-2530

2531-2540

2541-2550

2551-2560

2561-2570

2571-2580

2581-2590

2591-2600

2601-2610

2611-2620

2621-2630

2631-2640

2641-2650

2651-2660

2661-2670

2671-2680

2681-2690

2691-2700

2701-2710

2711-2720

2721-2730

2731-2740

2741-2750

2751-2760

2761-2770

2771-2780

2781-2790

2791-2800

2801-2810

2811-2820

2821-2830

2831-2840

2841-2850

2851-2860

2861-2870

2871-2880

2881-2890

2891-2900

2901-2910

2911-2920

2921-2930

2931-2940

2941-2950

2951-2960

2961-2970

2971-2980

2981-2990

2991-3000

3001-3010

3011-3020

3021-3030

3031-3040

3041-3050

3051-3060

3061-3070

3071-3080

3081-3090

3091-3100

3101-3110

3111-3120

3121-3130

3131-3140

3141-3150

3151-3160

3161-3170

3171-3180

3181-3190

3191-3200

3201-3210

3211-3220

3221-3230

3231-3240

3241-3250

3251-3260

3261-3270

3271-3280

3281-3290

3291-3300

3301-3310

3311-3320

3321-3330

3331-3340

3341-3350

3351-3360

3361-3370

3371-3380

3381-3390

3391-3400

3401-3410

3411-3420

3421-3430

3431-3440

3441-3450

3451-3460

3461-3470

3471-3480

3481-3490

3491-3500

3501-3510

3511-3520

3521-3530

3531-3540

3541-3550

3551-3560

3561-3570

3571-3580

3581-3590

3591-3600

3601-3610

3611-3620

3621-3630

3631-3640

3641-3650

3651-3660

3661-3670

3671-3680

3681-3690

3691-3700

3701-3710

3711-3720

3721-3730

3731-3740

3741-3750

3751-3760

3761-3770

3771-3780

3781-3790

3791-3800

3801-3810

3811-3820

3821-3830

3831-3840

3841-3850

3851-3860

3861-3870

3871-3880

3881-3890

3891-3900

3901-3910

3911-3920

3921-3930

3931-3940

3941-3950

3951-3960

3961-3970

3971-3980

3981-3990

3991-4000

4001-4010

4011-4020

4021-4030

4031-4040

4041-4050

4051-4060

4061-4070

4071-4080

4081-4090

4091-4100

4101-4110

4111-4120

4121-4130

4131-4140

4141-4150

4151-4160

4161-4170

4171-4180

4181-4190

4191-4200

4201-4210

4211-4220

4221-4230

4231-4240

4241-4250

4251-4260

4261-4270

4271-4280

4281-4290

4291-4300

4301-4310

4311-4320

4321-4330

4331-4340

4341-4350

4351-4360

4361-4370

4371-4380

4381-4390

4391-4400

4401-4410

4411-4420

4421-4430

4431-4440

4441-4450

4451-4460

4461-4470

4471-4480

4481-4490

4491-4500

4501-4510

4511-4520

4521-4530

4531-4540

4541-4550

4551-4560

4561-4570

4571-4580

4581-4590

4591-4600

4601-4610

4611-4620

4621-4630

4631-4640

4641-4650

4651-4660

4661-4670

4671-4680

4681-4690

4691-4700

4701-4710

4711-4720

4721-4730

4731-4740

4741-4750

4751-4760

4761-4770

4771-4780

4781-4790

4791-4800

4801-4810

4811-4820

4821-4830

4831-4840

4841-4850

4851-4860

4861-4870

4871-4880

4881-4890

4891-4900

4901-4910

4911-4920

4921-4930

4931-4940

4941-4950

4951-4960

4961-4970

4971-4980

4981-4990

4991-5000

5001-5010

5011-5020

5021-5030

5031-5040

5041-5050

5051-5060

5061-5070

5071-5080

5081-5090

5091-5100

5101-5110

5111-5120

5121-5130

5131-5140

5141-5150

5151-5160

5161-5170

5171-5180

5181-5190

5191-5200

5201-5210

5211-5220

5221-5230

5231-5240

5241-5250

5251-5260

5261-5270

5271-5280

5281-5290

5291-5300

5301-5310

5311-5320

5321-5330

5331-5340

5341-5350

5351-5360

5361-5370

5371-5380

5381-5390

5391-5400

5401-5410

5411-5420

5421-5430

5431-5440

5441-5450

5451-5460

5461-5470

5471-5480

5481-5490

5491-5500

5501-5510

5511-5520

5521-5530

5531-5540

5541-5550

5551-5560

5561-5570

5571-5580

5581-5590

5591-5600

5601-5610

5611-5620

5621-5630

5631-5640

5641-5650

5651-5660

5661-5670

5671-5680

5681-5690

5691-5700

5701-5710

5711-5720

5721-5730

5731-5740

5741-5750

5751-5760

5761-5770

5771-5780

5781-5790

5791-5800

5801-5810

5811-5820

5821-5830

5831-5840

5841-5850

5851-5860

5861-5870

5871-5880

5881-5890

5891-5900

5901-5910

5911-5920

5921-5930

5931-5940

5941-5950

5951-5960

5961-5970

5971-5980

5981-5990

5991-6000

6001-6010

6011-6020

6021-6030

6031-6040

6041-6050

6051-6060

6061-6070

6071-6080

6081-6090

6091-6100

6101-6110

6111-6120

6121-6130

6131-6140

6141-6150

6151-6160

6161-6170

6171-6180

6181-6190

6191-6200

6201-6210

6211-6220

6221-6230

6231-6240

6241-6250

6251-6260

6261-6270

6271-6280

6281-6290

6291-6300

6301-6310

6311-6320

6321-6330

6331-6340

6341-6350

6351-6360

6361-6370

6371-6380

6381-6390

6391-6400

6401-6410

6411-6420

6421-6430

6431-6440

6441-6450

6451-6460

6461-6470

6471-6480

6481-6490

6491-6500

6501-6510

6511-6520

6521-6530

6531-6540

6541-6550

6551-6560

6561-6570

6571-6580

6581-6590

6591-6600

6601-6610

6611-6620

6621-6630

6631-6640

6641-6650

6651-6660

6661-6670

6671-6680

6681-6690

6691-6700

6701-6710

6711-6720

6721-6730

6731-6740

6741-6750

6751-6760

6761-6770

6771-6780

6781-6790

6791-6800

6801-6810

6811-6820

6821-6830

6831-6840

6841-6850

6851-6860

6861-6870

6871-6880

6881-6890

6891-6900

6901-6910

6911-6920

6921-6930

6931-6940

6941-6950

6951-6960

6961-6970

6971-6980

6981-6990

6991-7000

7001-7010

7011-7020

7021-7030

7031-7040

7041-7050

7051-7060

7061-7070

7071-7080

7081-7090

7091-7100

7101-7110

7111-7120

7121-7130

7131-7140

7141-7150

7151-7160

7161-7170

7171-7180

7181-7190

7191-7200

7201-7210

7211-7220

7221-7230

7231-7240

7241-7250

7251-7260

7261-7270

7271-7280

7281-7290

7291-7300

7301-7310

7311-7320

7321-7330

7331-7340

7341-7350

7351-7360

7361-7370

7371-7380

7381-7390

7391-7400

7401-7410

7411-7420

7421-7430

7431-7440

7441-7450

7451-7460

7461-7470

7471-7480

7481-7490

7491-7500

7501-7510

7511-7520

7521-7530

7531-7540

7541-7550

7551-7560

7561-7570

7571-7580

7581-7590

7591-7600

7601-7610

7611-7620

7621-7630

7631-7640

7641-7650

7651-7660

7661-7670

7671-7680

7681-7690

7691-7700

7701-7710

7711-7720

7721-7730

7731-7740

7741-7750

7751-7760

7761-7770

7771-7780

7781-7790

7791-7800

7801-7810

7811-7820

7821-7830

7831-7840

7841-7850

7851-7860

7861-7870

7871-7880

7881-7890

7891-7900

7901-7910

7911-7920

7921-7930

7931-7940

7941-7950

7951-7960

7961-7970

7971-7980

7981-7990

7991-8000

8001-8010

8011-8020

8021-8030

8031-8040

8041-8050

8051-8060

8061-8070

8071-8080

8081-8090

8091-8100

8101-8110

8111-8120

8121-8130

8131-8140

8141-8150

8151-8160

8161-8170

8171-8180

8181-8190

8191-8200

8201-8210

8211-8220

8221-8230

8231-8240

8241-8250

8251-8260

8261-8270

8271-8280

8281-8290

8291-8300

8301-8310

8311-8320

8321-8330

8331-8340

8341-8350

8351-8360

8361-8370

8371-8380

8381-8390

8391-8400

8401-8410

8411-8420

8421-8430

8431-8440

8441-8450

8451-8460

8461-8470

8471-8480

8481-8490

8491-8500

8501-8510

8511-8520

8521-8530

8531-8540

8541-8550

8551-8560

8561-8570

8571-8580

8581-8590

8591-8600

8601-8610

8611-8620

8621-8630

8631-8640

8641-8650

8651-8660

8661-8670

8671-8680

8681-8690

8691-8700

8701-8710

8711-8720

8721-8730

8731-8740

8741-8750

8751-8760

8761-8770

8771-8780

8781-8790

8791-8800

8801-8810

8811-8820

8821-8830

8831-8840

8841-8850

8851-8860

8861-8870

8871-8880

8881-8890

8891-8900

8901-8910

8911-8920

8921-8930

8931-8940

8941-8950

8951-8960

8961-8970

8971-8980

8981-8990

8991-9000

9001-9010

9011-9020

9021-9030

9031-9040

9041-9050

9051-9060

9061-9070

9071-9080

9081-9090

9091-9100

9101-9110

9111-9120

9121-9130

9131-9140

9141-9150

9151-9160

9161-9170

9171-9180

9181-9190

9191-9200

9201-9210

9211-9220

9221-9230

9231-9240

9241-9250

9251-9260

9261-9270

9271-9280

9281-9290

9291-9300

9301-9310

9311-9320

9321-9330

9331-9340

9341-9350

9351-9360

9361-9370

9371-9380

9381-9390

9391-9400

9401-9410

9411-9420

9421-9430

9431-9440

9441-9450

9451-9460

9461-9470

9471-9480

9481-9490

9491-9500

9501-9510

9511-9520

9521-9530

9531-9540

9541-9550

9551-9560

9561-9570

9571-9580

9581-9590

9591-9600

9601-9610

9611-9620

9621-9630

9631-9640

9641-9650

9651-9660

9661-9670

9671-9680

9681-9690

9691-9700

9701-9710

9711-9720

9721-9730

9731-9740

9741-9750

9751-9760

9761-9770

9771-9780

9781-9790

9791-9800

9801-9810

9811-9820

9821-9830

9831-9840

9841-9850

10

CA

PROCESSES AND PROPERTIES INDEX

The action of phosphorus pentachloride on selenium derivatives of terpenes. Witold Zacharyewicz. *Koczniki* Chem. 22, 62-7 (1948).—Pine selenide (I) (17.5 g.) in 50 g. petr. ether and 21 g.  $PCl_5$  in 30 g. petr. ether gave (at 25°) 14.1 g. myrtenyl chloride (II), bp 97-8°,  $[a]_D^{25}$  187.6°,  $n_D^{25}$  1.50287,  $d_4^{25}$  1.0293, and 3.5 g. Se. II (9.5 g.) and 19 g.  $AgOAc$  in 75 g.  $AcOH$  gave on heating 4 hrs. at 60-70° a mixt. of myrtenyl acetate and chloride, bp 113-18°. Since the mixt. could not be sepd. by distn., it was hydrolyzed with 9% a/c.  $KOH$  (reflux 5 hrs.) to myrtenol (III), which was collected in 2 fractions b. 75-6° and b. 78-8° ( $[a]_D^{25}$  30°,  $n_D^{25}$  1.49777,  $d_4^{25}$  0.9706); 3.5 g.  $Na_2Cr_2O_7$  (1 hr. without heating) gave on evapn. of the  $AcOH$  in *vacuo* and extr. of the residue with  $Et_2O$  2 fractions: (a) b. 65-8° (2 g.), and (b) b. 68-110° (1 g.). Fraction (a),  $[a]_D^{25}$  16.9°,  $n_D^{25}$  1.50153, formed an oxime, m. 69-70°, which did not depress the m.p. of authentic myrtenal oxime. In view of the above results I is thought to be *dimyrtene selenide*.  $PCl_5$  could not be used for the degradation of the selenides of camphene and limonene. H. H. Sennat

ASAC 3.5.4 METALLURGICAL LITERATURE CLASSIFICATION

RECORDS MAY ONLY BE MADE BY THE FOLLOWING

RECORDS MAY ONLY BE MADE BY THE FOLLOWING



10

CA

Reaction of selenium oxide with p-menthene. W. H. Zacher, *Chem. Ber.* 75 (1942). Menthene (178 g.) and 72.2 g. SeO<sub>2</sub> in 160 g. EtOH (added dropwise) on heating 4 hrs. at 80° deposited 28.1 g. Se; the filtrate was steam-distd., and from the distillate were isolated 42 g. menthene and 90 g. oxidation products (I). From I, through the NaHSO<sub>3</sub> addn. compl., was isolated 1.5 g. 3-menthen-5-one (II), bp 112-15°; semicarbazone m. 175-6°. The remainder of I on distn. (4 times) gave 3-menthen-5-ol (III), bp 103-4°,  $[\alpha]_D^{20}$  18.1° (in Me<sub>2</sub>CO), d<sub>4</sub><sup>20</sup> 0.9235; phthalate m. 123°,  $[\alpha]_D^{20}$  0.55° (in Me<sub>2</sub>CO). III (2.2 g.) and 1.45 g. Na<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> in 10 g. AcOH gave 1.3 g. II (identified via the semicarbazone). III (15.4 g.) in 100 cc. Me<sub>2</sub>CO, on addn. of 350 cc. aq. 3% KMnO<sub>4</sub> soln. (0°, 1.5 hrs.), steam distn., concn. of the residue, addn. of NaHSO<sub>3</sub>, and extrn. with Et<sub>2</sub>O, gave (from the ext.) 3.5 g. 3,4,5-menthatriol, m. 147-8° (from CHCl<sub>3</sub>). The nonvolatile product (60 g.) of the original menthene oxidation could not be purified by crystn. or reppn.; it contained 23.1% Se, and was concluded to be menthene selenide (IV) (calcd. for C<sub>10</sub>H<sub>16</sub>Se, 22.4% Se). IV (56 g.) in 112 g. CHCl<sub>3</sub>, on addn. of 25.3 g. Br in 25 g. CHCl<sub>3</sub> (with cooling), gave 12.3 g. Se. The filtrate, on removal of the solvent, gave a residue to which was added 80 g. AgOAc in 180 g. AcOH. The resulting acetate, bp 160-20° (15 g.), contg. traces of Br, was heated 5 hrs. with 500 cc. 5% Ba(OH)<sub>2</sub> and gave 3.3 g. III (identified via the phthalate). H. H. Semant

ASB-31A METALLURGICAL LITERATURE CLASSIFICATION

GROUP	CLASS	SUBCLASS	SECTION	DATE
1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100

CA

The action of selenium oxide on limonene. Willb. Zacharewicz (Univ. Torun, Poland). *Rozprawy Chem.* 21, 301-13 (1949) (French summary).--Limonene with  $\text{SeO}_2$  gave neutral oxidation products and Se compds. The neutral oxidation products, isolated by steam distn., were identified as 2 isomeric alcs.,  $\text{C}_{11}\text{H}_{18}\text{O}$ : a secondary alc. (I), bp 68-69°,  $n_D^{20}$  1.49434,  $d_4^{20}$  0.9329, and a primary alc. (II), bp 70-81°,  $n_D^{20}$  1.51113,  $d_4^{20}$  0.9784. The structure of these 2 alcs. was not detd. It was established, however, that they are not 1,8(9)-p-menthadien-8-ol, or 1,8(9)-p-menthadien-7-ol. The following compds. were prepd. from I: acid phthalate, m. 128-129°; phenylurethan, m. 130°; and naphthylurethan, m. 145-146°. Chromic acid oxidizes I to a ketone whose semicarbazone m. 205° (decomp.). The acid phthalate of II m. 90-91°. Chromic acid oxidizes II to an aldehyde whose semicarbazone m. 190° (without decomp.).  $\text{Ag}_2\text{O}$  oxidizes the above aldehyde to an acid,  $\text{C}_{11}\text{H}_{16}\text{O}_4$ , of several isomers. The nonvolatile residue from the steam distn. of several of the formed from limonene with  $\text{SeO}_2$  was a mist. of several compds. which were not isolated in pure state nor sep'd. This crude mist. gave with alc. KOH 2 alcs. identical with I and II. Pyrolysis of this crude mist. produced only 1 alc. identical with II. 10 references. Cf. C.A. 63, 2076a. Edward A. Ackermann

ZACHAREWICZ, W.

3  
Mall 2

Polish Technical Abst.  
No. 4, 1953  
Chemistry and Chemical  
Technology

2190 ✓  
Zacharewicz W., Krugowicz J. Experiments over Obtaining Varnish  
from  $\delta - \Delta^3$  Carene.  
„Próby otrzymywania pokostów z  $\delta - \Delta^3$  karenu”. Przemysł Che-  
miczny. No. 3, 1953, pp. 110-112.  
The isomerisation of  $\delta - \Delta^3$  carene, using a 10% solution of sul-  
phuric acid in ethanol, yields a mixture of  $\alpha - \text{terpinene}$  and  $\alpha$ -  
diene —  $\Delta^1$ , (9), the yield being approx. 75%. An oleaginous liquid  
of varnish properties is obtained by heating the prepared mixture  
with  $Pb_2O_4$ . A number of comparative experiments, based on the  
standards for linseed varnish, were made with this carene varnish.

AF  
4-21-54

ZACHAREWICZ, W.

③

Obtaining varnish from  $d$ - $\Delta^1$ -carene. W. Zacharewicz  
and J. Krupowicz (Kopernik Univ., Torun, Poland).  
Przemysl. Chem. 3, 110-12 (1953) (English summary).  
 $d$ - $\Delta^1$ -Carene (I) (133 g.), obtained by distn. of Polish terpene  
oil by using a Dupont column, b<sub>m</sub> 170-1°, has  $d_4^{20}$  0.8612,  $[\alpha]_D^{20}$   
15.98°, and  $n_D^{20}$  1.4728; when heated 10 hrs. in 100 ml. of  
10% H<sub>2</sub>SO<sub>4</sub> in EtOH it gave 2 layers which were sepd. with  
H<sub>2</sub>O vapor. The volatile fractions b. 179-90°, 75% of total  
products, were terpenes; the isomerization was complete.  
These fractions treated for 1 hr. with PbO<sub>2</sub> yielded an  
oleaginous liquid which had varnish properties (carene  
varnish). This liquid had the same acid no., ash content,  
and drying properties as flax varnish, but the sp. gr. and  $n$   
were different and the sapon. no. and I were smaller; it is  
insol. in CH<sub>2</sub>Cl<sub>2</sub>.  
Gene A. Wozny

11-9-54

744

POLAND / Organic Chemistry. Natural Compounds and Their C-3  
Synthetic Analogs.

Abs Jour: Ref Zhur-Khimiya, No 1, 1959, 1389.

Author : ~~Zacharewicz, W.~~ Uzarewicz, A.

Inst : ~~Warsaw~~ Univ. Torun, Poland.

Title : The Oxidation of  $\beta$ -Pyronen with Selenium Dioxide.

Orig Pub: Roczn. chem., 1957, 31, No 2, 721-722.

Abstract: In the oxidation of 1 mole of  $\beta$ -pyronen with 0.5 moles of  $\text{SeO}_2$  a bisulfite compound has been isolated, after the decomposition of which a compound was separated having a b. p. of 85-90°C./11 milliliters,  $n_D^{20}$  1.4985, which does not reduce Tollen's reagent. Products which do not form a bisulfite compound were separated into fractions by distillation and a compound was separated having a b. p.

Card 1/2

28

POLAND

TONASZEWSKA, Lucyna, ZACHAREWICZ, Witold, and KRYCHOWIAK, Lucjan, of the Department of Organic Chemistry, H. Copernicus University, (Katedra Chemii Organicznej Uniwersytetu H. Kopernika, Torun), in Torun.

" On a New Method of Obtaining Pinonic Acid Aldehyde."

Warsaw, Roczniki Chemii, Vol 37, No 9, 1963, pp 1063-1065.

Abstract: [Authors' French summary modified] Authors applied a new method for obtaining pinonic acid aldehyde. This method is based on the reaction between lead tetracetate and pinone glycol in an acetic acid solution. The spectral analysis of this compound was made at the infrared end of the band. Four references, including 2 Polish, 1 German, and 1 Western.

1/1

ZACHAREWICZ, W.

POLAND / Organic Chemistry. Natural Substances and  
Their Synthetic Analogues.

G

Abs Jour: Ref Zhur-Khimiya, No 18, 1958, 61067.

Author : Witold Zacharewicz, Arkadiusz Uzarewicz.

Inst :

Title : Oxidation of  $\alpha$ -Pyronene with Selenium Dioxide.

Orig Pub: Roczn. chem., 1957, 31, No 2, 729-730.

Abstract: An unsaturated alcohol (I) of unestablished structure, boiling point 73 to 75°/7mm,  $[\alpha]^{20}_D = +0.3$ ,  $n^{20}_D = 1.5095$ ,  $d^{20}_4 = 0.9062$ , was separated at the oxydation of  $\alpha$ -pyronene with 0.5 mole of  $SeO_2$  in alcohol. I produces phthalate with phthalic anhydride, melting point 172 to 173° (from  $C_2H_4Cl_2$ );

Card 1/2

ZACHAREWICZ, W

POLAND / Organic Chemistry, Natural Substances and their Synthetic Analogues. G

Abs Jour: Ref Zhur-Khimiya, 1958, No 20, 67610.

Author : Zacharewicz W., Krupowicz J., Borowiecki L.

Inst : Not given.

Title : Oxidation of  $\Delta^3$ -Carene with Selenium.

Orig Pub: Roczn. chem., 1957, 31, No 2, 739-740.

Abstract: Oxidation of  $\Delta^3$ -carene with selenium anhydride in alcohol results in the formation of an unsaturated alcohol of 82-84°/5mm boiling point,  $[\alpha]_D^{16}$  of approx. 124.4°, and  $n_D^{19} = 1.4920$ . When the latter is oxidized with chromic acid in  $\text{CH}_3\text{COOH}$  an anhydride of 86-88°/10mm boiling point,  $[\alpha]_D$  of approx. 37.2°,  $n_D^{16} = 1.5075$ , and  $d_4^{16} = 0.9085$  is obtained.

Cabd 1/1



BRZOZOWSKI, Zdzisław; ZACHAREWICZ, Witold

On new complex compounds of isocyanates with tertiary amines. II.  
Roczn chemii 35 no.4:1163-1165 '61.

1. Laboratorium Badawcze Starogardzkich Zakladow Farmaceutycznych,  
Starogard Gdanski i Katedra Chemii Organicznej, Uniwersytet M. Koper-  
nika, Torun.

TOMASZEWSKA, Lucyna; ZACHAREWICZ, Witold

The action of selenium oxyde upon terpinolene.  
Rocz chemii 35 no.6:1597-1609 '61.

1. Katedra Chemii Organicznej, Uniwersytet M. Kopernika,  
Torun.

SILA, Bronislaw; LESIAK, Tadeusz; ZACHAREWICZ, Witold; WESOLOWSKI, Kornel;  
CISZEWSKI, Bohdan; KAMIŃSKI, Lech

Studies on the utilization of o-nitroethylbenzene. III. Catalytic  
synthesis of kumaron with o-ethylphenol. Przem chem 41 no.2:78-  
72 F '62.

ZACHAREWICZ, Witold; UZAREWICZ, Arkadiusz; SEKUTOWICZ, Bożena

On the action of diborane on trans-verbenol. *Rocz chemii* 36  
no.1:171-172 '62.

1. Katedra Chemii Organicznej, Uniwersytet M.Kopernika, Toruń.

ZACHAREWICZ, Witold; BOROWIECKI, Lucjan; JANUSZEWSKA, Barbara

On a new photocatalytic method of obtaining d-carene-3-ul-7.  
Rocz chemii 36 no.1:173-174 '62.

1. Katedra Chemii Organicznej, Uniwersytet M.Kopernika, Torun.

E 41812-66  
 ACC NR: AP6031696 (N) SOURCE CODE: PO/0099/66/040/003/0437/0443  
 AUTHOR: Zaidlewicz, Marek; Uzarewicz, Arkadiusz; Zacharewicz, Witold  
 ORG: Department of Organic Chemistry, N. Copernicus University, Torun (Katedra Chemii Organicznej Uniwersytetu M. Kopernika)  
 TITLE: Action of selenium dioxide on 1,3-dimethyl-1-ethyl-cyclohexadiene-3,5  
 SOURCE: Roczniki chemii-annales societatis chimicae polonorum, v. 40, no. 3, 1966, 437-443  
 TOPIC TAGS: selenium compound, organoselenium compound  
 ABSTRACT: The action of selenium dioxide on 1,3-dimethyl-1-ethylcyclohexadiene-3,5 yields two products: (1) the mixture of 1,3-dimethyl-2-ethyl-benzene, and (2) selenoorganic compounds. Orig. art. has: 1 table. [Based on authors' Eng. abst.] [JPRS: 36,002]  
 SUB CODE: 07 / SUBM DATE: 02Aug65 / ORIG REF: 002 / OTH REF: 010

Card 1/1 af

079 0276

BOROWIECKI, Lucjan; ZACHAREWICZ, Witold; PRZYSTUPA, Joanna

Transformations in the carano series. Pt. 1. Roz chemii 38  
no. 1:87-91 '64.

1. Department of Organic Chemistry, N. Copernicus University,  
Torun.

TOMASZEWSKA, Lucyna; ZACHAREWICZ, Witold; KRUCHOWIAK, Lucjan.

New method of obtaining aldehyde of pinonic acid. Roczniki chemii 37 no.9:1063-1065 '63.

1. Katedra Chemii Organicznej, Uniwersytet M. Kopernika,  
Torun.



BRZOSOWSKI, Zdzislaw; ZACHAREWICZ, Witold

New reactions and complex compounds of sulfonylisocyanates  
with tertiary amines and their complexes with primary amines.  
Rocz chemii 36 no.12:1743-1749 '63.

1. Laboratorium Badawcze, Starogardzkie Zakłady Farmaceutyczne,  
Starogard Gdanski, i Katedra Chemii Organicznej, Uniwersytet im.  
M.Kopernika, Torun.

BRZOCOWSKI, Zdzisław; ZACHAREWICZ, Witold

New reactions and complex compounds of isocyanates with tertiary amines and their complexes with primary amines. Pt. 2. Roczniki chemii 37 no.5:553-560 '63.

1. Research Laboratory, Polfa, Starogard, and Department of Organic Chemistry, Nicholas Copernicus University, Torun.

ZACHAREWICZ, Witold, prof.dr.

In Jędrzej Śniadecki's defense. Problemy 18 no.6:450-162.

BRZOZOWSKI, Zdzislaw; ZACHAREWICZ, Witold

On the new complex compounds of sulfoisocyanates with tertiary and primary amines. III. Roczniki chemii 36 no.2:291-293 '62.

1. Laboratorium Badawcze Starogardzkich Zakladow Farmaceutycznych, Starogard Gdanski, i Katedra Chemii Organicznej, Uniwersytet im. M. Kopernika, Torun.

ZACHAREWICZ, Witold; UZAREWICZ, Arkadiusz; ZAJDLEWICZ, Marek

On boronylation-oxydation of 1,3-dimethyl-1-ethyl-cyclohexadiene-3,5.  
Rocz chemii 36 no.2:367-368 '62.

1. Katedra Chemii Organicznej, Uniwersytet im. M. Kopernika, Torun.

SILA, Bronislaw; LESIAK, Tadeusz; ZACHAREWICZ, Witold; WESOŁOWSKI, Kornel;  
CISZEWSKI, Bohdan; KAMIŃSKI, Lech

Studies on the utilization of o-nitroethylbenzene.

Pt. 3. Catalytic synthesis of kumaron from o-ethylphenol.

Przem chem 41 no.2:70-72. F '62.

1. Katedra Chemii Organicznej, Uniwersytet im. M. Kopernika,  
Toruń i Katedra Metaloznawstwa, Politechnika, Warszawa.

S/081/62/000/021/013/069  
B156/B101

AUTHORS: Zacharewicz, Witold, Uzarewicz, Arkadiusz, Zaidlewicz, Marek  
TITLE: The hydroboration and oxidation of 1,3-dimethyl-1-ethyl-cyclohexa-3,5-diene

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 21, 1962, 140, abstract 21Zh92 (Roczn. chem., v. 36, no. 2, 1962, 367 - 368 [Pol.; summary in French])

TEXT: A new unsaturated  $C_{10}H_{18}O$  alcohol of unknown structure has been produced by the action of  $B_2H_6$  on 1,3-dimethyl-1-ethyl-cyclohexa-3,5-diene (I) followed by oxidation. Over a period of 4 hours, 2.35 g of  $B_2H_6$  are passed through 0.5 moles I dissolved in 200 ml of ether, in  $N_2$  atmosphere (at  $0^\circ C$ ). The ether is distilled off in vacuo, 30 ml water, and then a mixture of 70 ml 30 %  $H_2O_2$  and 60 ml of 3 N NaOH are added;  $C_{10}H_{18}O$  is extracted from the reaction mixture with ether; its boiling point is

Card 1/2

The hydroboration and oxidation...

S/081/62/000/021/013/069  
B156/B1011

97 - 99°C/8 mm Hg,  $n_D^{20}$  1.4783,  $d_4^{24}$  0.9924. The corresponding carbonyl compound was produced by the action of  $H_2CrO_4$  on  $C_{10}H_{18}O$ ; its 2,4-dinitro-phenyl hydrazone has the melting point 130 - 131°C. [Abstracter's note: Complete translation.]

Card 2/2



S/081/62/000/023/035/120  
B166/B101

AUTHORS: Brzozowski, Zdzisław, Zacharewicz, Witold  
TITLE: New complex compounds of sulfoisocyanates with tertiary and primary amines. III  
PERIODICAL: Referativnyy zhurnal. Khimiya, no. 23, 1962, 267, abstract 23Zh161 (Roczn. chem., v. 36, no. 2, 1962, 291-293 [Pol.; summaries in Russ., Eng., and Ger.])


TEXT: Sulfoisocyanates (I) have been produced previously (see communication II, RZhKhim, 1962, 6Zh4), now their interaction with primary amines is studied. The result of the reaction depends on the basicity of the primary amine and the structure of the I. When I ( $R = CH_3$ ,  $NR'R'' =$  pyridine) interacts with a primary amine  $N,N'$ -substituted ureas are formed regardless of the basicity of the amine, whereas I ( $R = CH_3$ ,  $NR'R'' =$  dialkylaniline) react only with highly basic primary amines (dissociation constant  $10^{-5}$ - $10^{-4}$ ) to form a substance (II). It is suggested that the formation of II is connected with the primary amine's difficult approach to the carbonyl C atom, as a result of which the

Card 1/3

New complex compounds of...

S/081/62/000/023/035/120  
B166/B101

attachment goes via the electropositive S atom due to the amine's electron pair. It was established that the ability for II formation



- II. (a)  $R = R' = \text{CH}_3$ ,  $R'' = \text{C}_6\text{H}_5\text{CH}_2$ ; (b)  $R = R' = \text{CH}_3$ ,  $R'' = n\text{-C}_4\text{H}_9$ ;  
(c)  $R = \text{CH}_3$ ,  $R' = \text{C}_2\text{H}_5$ ,  $R'' = n\text{-C}_4\text{H}_9$ ; (d)  $R = \text{H}$ ,  $R' = \text{C}_2\text{H}_5$ ,  $R'' = n\text{-C}_4\text{H}_9$ ;  
(e)  $R = \text{Cl}$ ,  $R' = \text{C}_2\text{H}_5$ ,  $R'' = n\text{-C}_4\text{H}_9$

Card 2/3

New complex compounds of...

S/081/62/000/023/035/120  
B166/B101

increases with increase in the electronegativity of the R in the I  
( $\text{CH}_3 < \text{H} < \text{Cl}$ ). The II, the gross formula and the melting point in  $^{\circ}\text{C}$  are  
given: a,  $\text{C}_{23}\text{H}_{27}\text{O}_3\text{N}_3\text{S}$ , 211-212; b,  $\text{C}_{20}\text{H}_{29}\text{O}_3\text{N}_3\text{S}$ , 221-223; c,  $\text{C}_{22}\text{H}_{31}\text{O}_3\text{N}_3\text{S}$ ,  
178.5-180; d,  $\text{C}_{21}\text{H}_{31}\text{O}_3\text{N}_3\text{S}$ , 177-178.5; e,  $\text{C}_{21}\text{H}_{30}\text{O}_3\text{N}_3\text{SCl}$ , 192-193.  
[Abstracter's note: Complete translation.]

Card 3/3

ZACHAREWICZ, Witold

1107

1. "Tense Complex Relationship of Situation of Argentine and Shattered Camps." A. I. JURY of the State Science and Research Institute for Organic Chemistry and Dr. A. J. JURY (translation of an article reviewed by author, originally published in Usp. Khim. 37, 851 (1968) by N. KROKH of the Faculty of Chemistry (Physical Chemistry) of the Polytechnic Institute (Politecnico) at Warsaw pp. 741-742 (English Summary).
2. "Tense Complex Relationship of Situation of Argentine and Shattered Camps." N. KROKH-ENGLISH. Usp. pp. 812-813.
3. "New Relations and Complications of Complex Interactions with Turkey, Japan and Their Complexes with Primary Impacts." Metallurgicheskiy (of the Gulf of Giza) Chemistry (Russian Chemical Organization) of the N. Kropotkin Institute (Faculty of N. Kropotkin) at Moscow (Moscow State University) monograph. Moscow: Prof. Dr. NIKOLAI ZACHAREWICZ, Dr. Witold ZACHAREWICZ, Dr. Jan KROKH-ENGLISH, pp. 812-813.
4. "Behavior of Metal Nanoparticles in a Velocity Field with Longitudinal Gradient." Metallurgicheskiy (of the N. Kropotkin Institute) Chemistry (Russian Chemical Organization) of the N. Kropotkin Institute (Faculty of N. Kropotkin) at Moscow (Moscow State University) monograph. Moscow: Prof. Dr. NIKOLAI ZACHAREWICZ, Dr. Witold ZACHAREWICZ, Dr. Jan KROKH-ENGLISH, pp. 812-813.

— 1/1 —

BOROWIECKI, Lucjan; ZACHAREWICZ, Witold

On the degradation of selenium compounds by acetic acid. *Rocz chemii*  
35 no.4:833-842 '61.

1. Katedra Chemii Organicznej, Uniwersytet M. Kopernika, Torun.

TOMASZEWSKA, Lucyna; ZACHAREWICZ, Witold

A new method of obtaining 1-methylo- 4-isopropenylobenzene. *Rocz chemii*  
35 no.4:1143-1146 '61.

1. Katedra Chemii Organicznej, Uniwersytet M. Kopernika, Torun.

TOMASZEWSKA, Lucyna; ZACHAREWICZ, Witold

On selenium compounds from terpinolene and their degradation. Rocz  
chemii 35 no.5:1511-1517 '61.

1. Katedra Chemii Organicznej, Uniwersytet im. M. Kopernika, Torun.

ZACHAREWICZ, Witold, dr., prof. chemii organicznej

Dr. Kazimierz Slawinski, professor of chemistry, 1870-1941. Wlad  
chem 15 no.10:609-618. '61.

1. Uniwersytet Mikolaja Kopernika, Torun.

(Slawinski, Kazimierz) (Poland—Chemists)



ALON HIREWICZ, WITOLD

✓ The action of selenium dioxide on  $\alpha$ -pyrone. Władysław  
Zacharański and Arkadiusz Łęgowicz (Univ. Łódź,  
Poland). *Reczniki Chem.* 34, 418-420 (1961) French sum-  
mary). — 1,2,3,4-Tetramethylbenzene (I) was obtained by  
action of 100.5 g.  $\text{SeO}_2$  on 408 g.  $\alpha$ -pyrone in alc. Nitro-  
prehnite (m. 123-31°) was prepd. from I by Toll's method  
(Ber. 21 905 (1888)) and prehnitic acid (m. 184.5-87°) by  
Jacobson's method (Ber. 19, 1214 (1886)). I was oxidized  
by heating 4 days with 5% aq.  $\text{KMnO}_4$  soln., filtered, con-  
densed to 150 ml., acidified with  $\text{H}_2\text{SO}_4$ , and the soln. extd.  
with  $\text{Et}_2\text{O}$  to give mellophanic acid, m. 236-8°.

A. Kreglewski

4  
1-JAJ(WB)  
1-RDW

ZACHARIEWICZ, Witold; UZAREWICZ, Arkadiusz

The action of selenium dioxide on  $\alpha$ -pyronene. Roczniki chemii 34 no.2:  
413-422 '60. (EEAI 10:1)

1. Katedra Chemii Organicznej Uniwersytetu M.Kopernika, Torun  
(Selenium oxides) (Pyronene)

BOROWIECKI, Lucjan; ZACHAREWICZ, Witold

A new semicyclic carene. Roczniki chemii 34 no.3/4:1181-1183 '60.  
(EEAI 10:3)

1. Katedra Chemii Organicznej Uniwersytetu M. Kopernika, Torun.  
(Carene)

ZACHAREWICZ, W.

A new carene alcohol. Witold Zacharewicz, Jan Krup-  
wicz, and Lucjan Borowicz. *Polish J. Chem.* 33, 87-92 (1959) (French summary).  
Carene was oxidized by means of  $\text{SeO}_2$  at  $60^\circ$ . The prod-  
ucts, isolated by steam distn., were sepd. in 2 parts by  
action of satd. aq. soln. of  $\text{Na}_2\text{SO}_3$  +  $\text{NaHCO}_3$  (I). The part  
nonreacting with I was twice distd. in vacuo to give d-3-  
carene-7-ol (b.  $77-8^\circ/3$  mm.)  $[\alpha]_D^{25} 1.4900$ , d<sub>4</sub><sup>25</sup>  
0.9431, R<sub>x</sub> 46.59 (calcd. 46.12) (II). 8-Nitrophthalate of  
II melts at  $148.5-150.5^\circ$  (yellow crystals;  $[\alpha]_D^{25} -0.4^\circ$ ). II re-  
acts with 2 moles Br. Oxidation of II by means of  $\text{CrO}_3$   
in  $\text{AcOH}$  yielded 3-carene-7-al, b.  $75-8^\circ/3$  mm.,  $[\alpha]_D^{25}$   
1.4980, d<sub>4</sub><sup>25</sup> 0.9718, R<sub>x</sub> 46.16; 2,4-dinitrophenylhydra-  
zone m.  $164-5^\circ$ , red. Oxidation of II with  $\text{KMnO}_4$  gave  
trans-caronic acid, m.  $208-8.5^\circ$ . A. Kreglaszki

5-  
2 May

4E 2c (ij)

87